
ALKALINE WATER WITH NEW GENERATION OF







The Industry Leader in Alkaline Water Ionizer Technology

High Performance Mesh 9 Plates


MAX Large Plates - New Larger 9 Plates
MAX Next Generation SMPS 450W Power System
Smart & Premium Touch button and wide display panel
Sleek & Compact design
Advanced Micom computer system
Widest range of pH and ORP
Dual internal filters with filtration system
BPA Free tubing installation
Complete auto-diagnosis system

9 PLATES

New Larger Ultra Efficient Multi-Level Electrolysis chambers

Prime Water Ionizers with Mesh plate delivers an electrical current to the water through an array of positively and negatively charged Platinum coated Titanium plates.

The more the water passes in and out of the Titanium Mesh system and the greater the electrical charge to the water (especially when powered by the newer SMPS power systems) - the higher the pH (potential of Hydrogen) and the ORP (Oxidation-Reduction Potential) of the drinking water.





MAX Power SMPS System

Fully Adjustable Power

Up to 450 Watts ionizing power gives you the best pH and –ORP from your particular water source.

SMPS provides more power, greater efficiency, and ultimate durability. Advanced Micom computer system

(450W SMPS for 7P ~ 13P)

COMPLETE AUTODIAGNOSIS SYSTEM

Water ionizer continual monitors internal operating systems, ensuring that you are immediately notified in the highly unlikely event of a problem. Prime water ionizer allows you to programm nearly any pH and ORP combination, so as to customize your pH and ORP level that's right for you.

The higher you pH value, the higher ist also the dissolved hydrogen dH2 (up to 1200 ppm!).

EASY & SMART

8 Languages Available: Korean, Englisch, Chinese, Russion, Spanish, French, German, Italian.







Prime Filtration System 8 Level

The Prime dual filtration system is made up of multi level stage specialized media filter and a premium activated carbon filter.

The Premium Activated Carbon filter is structured to improve the reduction of heavy metals and fluoride found in many city water sources.

The silver activated carbon portion of the filter kills bacteria and keeps them from growing within the filter and being passed through to the electrolysis chamber. The multi level stage sediment filter reduces additional sediment particles in the water maintaining the life and performance of your water ionizer.

Ionizers are designed to deliver two things: clean and healthy water. Proper filtration is critically important to achieving both. While all ionizers employ a filter to clean the water; all filters are not created equal. Most ionizer filters available today feature three to five stages and employ only granulated activated charcoal (GAC) together with some form of calcium.



Tourmaline Ceramic Ball

Tourmaline emits Far Infra Red(FIR) energy naturally. FIR produces well documented health benefits and it also has an amazing effect on water. The Biostone contains the semi-precious gemstone tourmaline in ceramic form, so you get FIR on tap!

The energy balls main ingredient is tourmaline which can improve the water's pH. Negative ion potential is produced by the weak ionization from the between functional Mg and water.



Vitamin Ceramic Ball (Remoing Chlorine)

Slightly increases the alkaline mineral content in your water and improves the taste of water and removes odors. It also eliminates chlorine.



Sediment Filter

The Sediment filter reduces infusible particles from feed water and protects the membrane and pre-carbon filters from being clogged with the largest particles extending the life of the rest of the filters.

SPECIFICATIONS

KFDA Medical Device Manufacturer Registered No. 5427

erti	ficat	29	
 o u	nou.		

		V	
Product type	Alkaline Water Ionizer	Plate Materials	Platinum Titanium
Model Name	PRIME 901-SV	Plate Number	9 Plates
Dimensions	30(W) x 38(H) x 15.5(D) cm	Plate type	Mesh (125X60mm)
Unit Weight	6.5Kg	Flow Control	Manual Valve
Maximum Water Supply Pressure	70 psi	Alkaline Setting	1-2-3-4
Applicable Water Temperature	5~30 ℃	Acidic Setting	1-2-3
Electrolysis Method	Continuous Electrolysis	Purified Setting	1
Cleaning Method	Automatic & Manual	Ionized Water output rate	Max 3~4 liters / 1min
Rated Voltage	110V or 220V	Display	Full Color LED
Power Consumption	450W	Control Button Type	Touch Button
Power Supply Device	450Watts SMPS	Filter Life Indicator	FND Number Indicator
Filter Number	2 Filters (Dual Filtration system)	Filter Composition	Activated Carbon, Sediment filter Vitamin Ceramic Ball, Fiber filter, Bio Ceramic ball
Filter Replacement	Cartridge		
×			

DISTRIBUTOR: Siegfried Brauner | Rennbahnweg 13/21/7A, 1220 Vienna | +436643185318 | trink-dich-fit.de